Physica C 203 (1992) 453–456
North-Holland

PHYSICA C

Author Index to Volume 203

Adrian, F.J., see J. Bohandy **203**, 139
Andersen, N.H., see I. Mangelschots **203**, 369
Anselmetti, D., see M. Boekholt **203**, 180
Aselage, T.L., E.L. Venturini, S.B. Van Deusen, T.J. Headley, M.O. Eatough and J.A. Voigt, Phase stability and properties of near-equilibrium Tl–Ca–Ba–Cu–O superconductors **203**, 25
Aurisicchio, C., see L. Dimesso **203**, 403

Badía, A., see J.M. González-Calbet **203**, 223
Behera, S.N., see D. Sa **203**, 347
Bendre, S.T., see P. Guptasarma **203**, 129
Benischke, R., T. Weber, W.H. Fietz, J. Metzger, K. Grube, T. Wolf and H. Wühl, The effect of high hydrostatic pressure on T_c of $YBa_2Cu_3O_x$ as a function of the oxygen content **203**, 293
Benischke, R., see R. Benischke **203**, 293
Bennett, L.H., see J. Bohandy **203**, 139
Berberich, P., see O. Eibl **203**, 445
Bhagat, S.M., see S. Lofland **203**, 271
Boekholt, M., see L. Buschmann **203**, 68
Boekholt, M., M. Fleuster, F. Nouvertné, M. Herrmann, G. Güntherodt, C. Jaekel, D. Anselmetti, H.J. Güntherodt, D. Wehler and G. Müller, Growth and characterization of $Bi_2Sr_2CaCu_2O_{8+\delta}$ and $Bi_2Sr_2CuO_{6+y}$ single crystals **203**, 180
Bohac, P., see R. Müller **203**, 299
Bohandy, J., B.F. Kim, K. Moorjani, F.J. Adrian, D.L. Kaiser, L.J. Swartzendruber, F.W. Gayle and L.H. Bennett, Twin boundaries, impurities, and anisotropy in $YBa_2Cu_3O_{7-\delta}$ single crystals **203**, 139
Boni, P., see H.M. Duan **203**, 257
Bruynseraede, Y., see B. Wuyts **203**, 235
Buckley, R.G., see C.K. Subramaniam **203**, 98
Buschmann, L., M. Boekholt and G. Güntherodt, Tunneling spectroscopy on $Bi_2Sr_2CaCu_2O_{8+\delta}$ single crystals at $T=4.2$ K **203**, 68

Caneiro, A., see J.M. González-Calbet **203**, 223
Cantoni, M., see H.-U. Nissen **203**, 436
Capobianco, P., see B. Zhang **203**, 51
Cardona, A., see K.H. Young **203**, 37
Carneiro, G., M.M. Doria and S.C.B. De Andrade, The energy and stability of a vortex line in anisotropic London theory **203**, 167
Cavinato, M.L., see L. Dimesso **203**, 403
Chen, T.G., see X.C. Wu **203**, 426
Cheong, S.-W., see G. Yu **203**, 419
Chval, J., see V. Šíma **203**, 59
Corsépius, S., see O. Eibl **203**, 445

Das, A., see R. Suryanarayanan **203**, 111
De Andrade, S.C.B., see G. Carneiro **203**, 167
Dimesso, L., R. Masini, M.L. Cavinato, D. Fiorani, A.M. Testa and C. Aurisicchio, Effects of annealing under reducing atmosphere on BSCCO 2212 textured thick films prepared by partial melting techniques **203**, 403
Ding, H.-Q., Momentum distributions and Fermi surface in t–J model **203**, 91
Ding, Y., see Z. Gao **203**, 45
Dlugosch, B., see H.M. Duan **203**, 257
Doria, M.M., see G. Carneiro **203**, 167
Dorosinskii, L.A., M.V. Indenbom, V.I. Nikitenko, Yu.A. Ossip'yan, A.A. Polyanskii and V.K. Vlasko-Vlasov, Studies of HTSC crystal magnetization features using indicator magnetooptic films with in-plane anisotropy **203**, 149
Dorosinskii, L.A., V.I. Nikitenko, A.A. Polyanski, V.K. Vlasko-Vlasov, A. Roytburd, D.L. Kaiser and F.W. Gayle, Kinetics of twin boundary migration in $YBa_2Cu_3O_{7-x}$ single crystals **203**, 342
Dressel, M., J.E. Eldridge, J.M. Williams and H.H. Wang, The correlation of lattice phonon frequencies with the superconducting transition temperatures of some (BEDT-TTF) salts **203**, 247
Drexler, J., see H.M. Duan **203**, 257
Drzazga, Z., H. Szymczak and R. Szymczak, Effect of neutron irradiation on irreversible torque in superconducting $Bi_2Sr_2CaCu_2O_x$ single crystals **203**, 335
Du, B., see Z. Gao **203**, 45
Duan, H.M., T.S. Kaplan, B. Dlugosch, A.M. Hermann, J. Swope, J. Drexler, P. Boni and J. Smyth, Single crystal growth of Tl-based superconductors **203**, 257
Duan, H.M., see D. Vacaru **203**, 393

Eatough, M.O., see T.L. Aselage **203**, 25
Ebbesen, T.W., J.S. Tsai, K. Tanigaki, H. Hiura, Y. Shimakawa, Y. Kubo, I. Hirosawa and J. Mizuki, Dopant isotope effect on superconductivity in Rb_3C_{60} **203**, 163
Ehmann, A., see H.-U. Nissen **203**, 436
Eibl, O., W. Prusseit, B. Utz, S. Corsépius, P. Berberich and H. Kinder, TEM study of epitaxial $YBa_2Cu_3O_{7-x}$ thin films deposited on GaAs with MgO buffer layers **203**, 445
Eldridge, J.E., see M. Dressel **203**, 247

Fabbricatore, P., see B. Zhang **203**, 51
Fanqing, L., see S. Lei **203**, 398
Fietz, W.H., see R. Benischke **203**, 293
Finnemore, D., see M.J. Kramer **203**, 83
Fiorani, D., see L. Dimesso **203**, 403
Fleuster, M., see M. Boekholt **203**, 180

Fujimoto, H., M. Murakami and N. Koshizuka, Effect of Y_2BaCuO_5 on fracture toughness of YBCO prepared by a MPMG process **203**, 103
Fujiwara, A., Y. Koike, K. Sasaki, M. Mochida, T. Noji and Y. Saito, Two effects of iodine intercalation on T_c in $Bi_2Sr_2Ca_{1-x}Y_xCu_2O_8$. Two-dimensionality and charge transfer **203**, 411
Fukazawa, T., see M. Hiratani **203**, 327

Gao, H., see Z. Gao **203**, 45
Gao, Z., B. Du, Y. Peng, H. Gao, Z. Wang, C. Zhu, J. Kang, J. Li, J. Yang, B. Zhang, Y. Ding, J. Kang and W. Wang, The modulation principle of vacuum on the superconductivity of YBCO **203**, 45
Gao, Z.X., see B. Wuyts **203**, 235
Gauckler, L.J., see R. Müller **203**, 299
Gayle, F.W., see J. Bohandy **203**, 139
Gayle, F.W., see L.A. Dorosinskii **203**, 342
Gemme, G., see B. Zhang **203**, 51
González-Calbet, J.M., A. Badía, M. Vallet-Regí, A. Caneiro, J. Ramírez, C. Rillo, F. Lera and R. Navarro, Oxygen stoichiometry, critical temperature and pinning mechanisms in the 2212 BSCCO superconductor **203**, 223
Goringe, M.J., see Z. Rupeng **203**, 75
Groß, J. and M. Mehring, Phase separation observed by ^{1}H-NMR in $YBa_2Cu_3O_{7-\delta}H_x$ **203**, 1
Grube, K., see R. Benischke **203**, 293
Guien, Z., see S. Lei **203**, 398
Günther, W. and R. Schöllhorn, Low temperature synthesis and properties of superconducting alkali substituted La_2CuO_4 phases **203**, 115
Güntherodt, G., see L. Buschmann **203**, 68
Güntherodt, G., see M. Boekholt **203**, 180
Güntherodt, H.J., see M. Boekholt **203**, 180
Gupta, A., see A. Kussmaul **203**, 16
Guptasarma, P., S.T. Bendre, S.B. Ogale, M.S. Multani and R. Vijayaraghavan, Thin and ultra-thin epitaxial films of $YBa_2Cu_3O_{7-\delta}$ deposited on $LiNbO_3$ substrates by pulsed excimer laser ablation **203**, 129

Headley, T.J., see T.L. Aselage **203**, 25
Heeger, A.J., see G. Yu **203**, 419
Hermann, A.M., see H.M. Duan **203**, 257
Hermann, A.M., see D. Vacaru **203**, 393
Herrmann, M., see M. Boekholt **203**, 180
Hidaka, H., see H. Yoshikawa **203**, 144
Hirai, T., see K.H. Young **203**, 37
Hiratani, M., Y. Tarutani, T. Fukazawa, A. Tsukamoto and K. Takagi, Evaluation of non-superconducting La–Ba–Cu–O thin films **203**, 327
Hirosawa, I., see T.W. Ebbesen **203**, 163
Hiura, H., see T.W. Ebbesen **203**, 163
Honda, T., see T. Shibauchi **203**, 315
Huang, M.X., see S. Lofland **203**, 271

Ido, M., see N. Yamada **203**, 240
Ikeda, H., see N. Ishikawa **203**, 284
Indenbom, M.V., see L.A. Dorosinskii **203**, 149
Ishikawa, N., N. Kuroda, H. Ikeda and R. Yoshizaki, Spin-correlation in $La_{1.82}Sr_{0.18}Cu_{1-y}M_yO_4$ (M=Ga, Zn, Ni, Co) **203**, 284

Jacobsen, C.S., see I. Mangelschots **203**, 369
Jaekel, C., see M. Boekholt **203**, 180
Je, J.H., see C.G. Kim **203**, 385
Jichu, H., see K. Miura **203**, 431

Kaiser, A.B., see C.K. Subramaniam **203**, 98
Kaiser, D.L., see J. Bohandy **203**, 139
Kaiser, D.L., see L.A. Dorosinskii **203**, 342
Kakurai, K., see S. Shamoto **203**, 7
Kang, J., see Z. Gao**203**, 45
Kaplan, T.S., see H.M. Duan **203**, 257
Kemmler-Sack, S., see H.-U. Nissen **203**, 436
Kim, B.F., see J. Bohandy **203**, 139
Kim, C.G. and J.H. Je, Study on the formation mechanism of superconducting phases during annealing of sputtered Bi–Sr–Ca–Cu–O thin films **203**, 385
Kinder, H., see O. Eibl **203**, 445
Kitano, H., see T. Shibauchi **203**, 315
Kiyokura, T., see S. Shamoto **203**, 7
Knížek, K., see V. Šíma **203**, 59
Koblischka, M.R., see Th. Schuster **203**, 203
Koike, Y., see A. Fujiwara **203**, 411
Koshizuka, N., see H. Fujimoto **203**, 103
Kramer, M.J., Q. Qian, D. Finnemore and L. Snead, Time evolved defects in proton-irradiated single-crystal $YBa_2Cu_3O_{7-\delta}$ **203**, 83
Kraus, M., see Th. Schuster **203**, 203
Kronmüller, H., see Th. Schuster **203**, 203
Kubo, Y., see T.W. Ebbesen **203**, 163
Kuhn, H., see Th. Schuster **203**, 203
Kuroda, N., see N. Ishikawa **203**, 284
Kuroda, Y., see K. Miura **203**, 431
Kurosawa, H., see K.H. Young **203**, 37
Kussmaul, A., J.S. Moodera, P.M. Tedrow and A. Gupta, Fluctuation conductance and critical fields of thin films of NdCeCuO **203**, 16

Lebech, B., see I. Mangelschots **203**, 369
Lee, C.H., see G. Yu **203**, 419
Lee, S.Y., E. Narumi and D.T. Shaw, Thermally activated dissipation in $Y_1Ba_2Cu_3O_{7-x}/Y_1Ba_2(Cu_{1-x}Ni_x)_3O_{7-x}$ superconducting multilayer thin films **203**, 378
Leghissa, M., see Th. Schuster **203**, 203
Lei, S., L. Fanqing, J. Yunbo, Z. Guien, G. Yunlong and Z. Yuheng, The structural characteristics of Bi-based 2212 phase whiskers **203**, 398
Lera, F., see J.M. González-Calbet **203**, 223
Li, J., see Z. Gao **203**, 45
Libbrecht, S., see B. Wuyts **203**, 235
Lin, M.W., see H.D. Yang **203**, 320
Lofland, S., M.X. Huang and S.M. Bhagat, AC losses in sintered high-temperature superconductors Dependence on frequency and intergranular lower critical field **203**, 271

Lösch, S., see H.-U. Nissen **203**, 436
Luo, C.H., see H.D. Yang **203**, 320

Maeda, A., see T. Shibauchi **203**, 315
Maenhoudt, M., see B. Wuyts **203**, 235
Mangelschots, I., N.H. Andersen, B. Lebech, A. Wisniewski and C.S. Jacobsen, Crystal structure, magnetic susceptibility and thermopower of superconducting and non-superconducting $Nd_{1.85}Ce_{0.15}CuO_{4+y}$ **203**, 369
Masini, R., see L. Dimesso **203**, 403
Mastuura, T., see K. Miura **203**, 431
Mawdsley, A., see C.K. Subramaniam **203**, 98
Mehring, M., see J. Groß **203**, 1
Metzger, J., see R. Benischke **203**, 293
Miura, K., H. Jichu, T. Mastuura and Y. Kuroda, Electronic states in the d–p model with p–p direct transfer **203**, 431
Mizuki, J., see T.W. Ebbesen **203**, 163
Mochida, M., see A. Fujiwara **203**, 411
Mohan, S., K. Subramani and A. Sudha, Lattice dynamics and normal co-ordinate analysis of the superconductor $Pb_2Sr_2YCu_3O_8$ **203**, 157
Moodera, J.S., see A. Kussmaul **203**, 16
Moorjani, K., see J. Bohandy **203**, 139
Müller, G., see M. Boekholt **203**, 180
Müller, R., Th. Schweizer, P. Bohac, R.O. Suzuki and L.J. Gauckler, Compositional range of the $Bi_2Sr_2CaCu_2O_x$ HT_c-superconductor and its surrounding phases **203**, 299
Multani, M.S., see P. Guptasarma **203**, 129
Murakami, M., see H. Fujimoto **203**, 103
Musenich, R., see B. Zhang **203**, 51
Myhra, S., see Z. Rupeng **203**, 75

Nakamura, Y., see S. Shamoto **203**, 7
Nakao, K., see H. Yoshikawa **203**, 144
Narumi, E., see S.Y. Lee **203**, 378
Navarro, R., see J.M. González-Calbet **203**, 223
Nieminen, R., see E. Podkletnov **203**, 441
Nikitenko, V.I., see L.A. Dorosinskii**203**, 149, 342
Nissen, H.-U., M. Cantoni, S. Kemmler-Sack, A. Ehmann, S. Lösch, W. Wischert and P. Zoller, High-resolution transmission electron microscopy of (1212) Bi-cuprate superconductor materials **203**, 436
Noji, T., see A. Fujiwara **203**, 411
Nouvertné, F., see M. Boekholt **203**, 180

Ogale, S.B., see P. Guptasarma **203**, 129
Osquiguil, E., see B. Wuyts **203**, 235
Ossip'yan, Yu.A., see L.A. Dorosinskii **203**, 149

Parodi, R., see B. Zhang **203**, 51
Peng, Y., see Z. Gao **203**, 45
Pickett, W.E., see D.J. Singh **203**, 193
Podkletnov, E. and R. Nieminen, A possibility of gravitational force shielding by bulk $YBa_2Cu_3O_{7-x}$ superconductor **203**, 441
Pollert, E., see V. Šíma **203**, 59
Polyanski, A.A., see L.A. Dorosinskii **203**, 342
Polyanskii, A.A., see L.A. Dorosinskii **203**, 149
Prusseit, W., see O. Eibl **203**, 445

Qian, Q., see M.J. Kramer **203**, 83

Ramírez, J., see J.M. González-Calbet **203**, 223
Rillo, C., see J.M. González-Calbet **203**, 223
Robinson, M., see K.H. Young **203**, 37
Roytburd, A., see L.A. Dorosinskii **203**, 342
Rupeng, Z., M.J. Goringe, S. Myhra and J.L. Tallon, HREM studies of defect structure in $YBa_{1.85}La_{0.15}Cu_4O_8$ **203**, 75

Sa, D. and S.N. Behera, Phonon-Raman scattering in a correlated superconductor **203**, 347
Saemann-Ischenko, G., see Th. Schuster **203**, 203
Saito, Y., see A. Fujiwara **203**, 411
Sasaki, K., see A. Fujiwara **203**, 411
Sato, M., see S. Shamoto **203**, 7
Sauerzopf, F.M., see H.P. Wiesinger **203**, 121
Schöllhorn, R., see W. Günther **203**, 115
Schuster, Th., M. Leghissa, M.R. Koblischka, H. Kuhn, M. Kraus, H. Kronmüller and G. Saemann-Ischenko, Magneto-optical study of flux penetration in heavy-ion irradiated high-T_c single crystals **203**, 203
Schweizer, Th., see R. Müller **203**, 299
Shamoto, S., T. Kiyokura, M. Sato, K. Kakurai, Y. Nakamura and S. Uchida, Study on magnetic ordering in (La, Nd, Sr)$_2CuO_4$ **203**, 7
Shaw, D.T., see S.Y. Lee **203**, 378
Sheng, Z.Z., see X.C. Wu **203**, 426
Shi, T.S., see X.C. Wu **203**, 426
Shibauchi, T., A. Maeda, H. Kitano, T. Honda and K. Uchinokura, Microwave complex conductivity in single crystals of $YBa_2Cu_3O_7$ and $Bi_2Sr_2CaCu_2O_y$ **203**, 315
Shimakawa, Y., see T.W. Ebbesen **203**, 163
Šíma, V., K. Knížek, J. Chval, E. Pollert, P. Svoboda and P. Vašek, Influence of combined mechanical and heat treatment on $Bi_2Sr_2Ca_2Cu_3O_{10+y}$ phase formation **203**, 59
Singh, D.J. and W.E. Pickett, Electronic characteristics of $Tl_2Ba_2CuO_6$. Fermi surface, positron wavefunction, electric field gradients, and transport parameters **203**, 193
Smyth, J., see H.M. Duan **203**, 257
Snead, L., see M.J. Kramer **203**, 83
Subramani, K., see S. Mohan **203**, 157
Subramaniam, C.K., A.B. Kaiser, H.J. Trodahl, A. Mawdsley and R.G. Buckley, Thermoelectric power of thallium-based 1212 superconductors with varying hole concentration **203**, 98
Sudha, A., see S. Mohan **203**, 157
Sugiyama, J., see H. Yoshikawa **203**, 144
Suryanarayanan, R. and A. Das, Enhancement of the irreversibility line in $Y_{1-x}Ca_xSrBaCu_{2.7}Co_{0.3}O_{6+z}$ **203**, 111
Suzuki, H., see K.H. Young **203**, 37
Suzuki, R.O., see R. Müller **203**, 299
Svoboda, P., see V. Šíma **203**, 59

Swartzendruber, L.J., see J. Bohandy **203**, 139
Swope, J., see H.M. Duan **203**, 257
Szymczak, H., see Z. Drzazga **203**, 335
Szymczak, R., see Z. Drzazga **203**, 335

Takagi, K., see M. Hiratani **203**, 327
Tallon, J.L., see Z. Rupeng **203**, 75
Tanigaki, K., see T.W. Ebbesen **203**, 163
Tarutani, Y., see M. Hiratani **203**, 327
Tedrow, P.M., see A. Kussmaul **203**, 16
Testa, A.M., see L. Dimesso **203**, 403
Trodahl, H.J., see C.K. Subramaniam **203**, 98
Tsai, J.S., see T.W. Ebbesen **203**, 163
Tsay, H.L., see H.D. Yang **203**, 320
Tsukamoto, A., see M. Hiratani **203**, 327

Uchida, S., see S. Shamoto **203**, 7
Uchinokura, K., see T. Shibauchi **203**, 315
Utz, B., see O. Eibl **203**, 445

Vacaru, D., F. Zuo, H.M. Duan and A.M. Hermann, Direct evidence of spontaneous creation of flux lines in $Tl_2Ba_2Cu_1O_6$ superconductors **203**, 393
Vallet-Regí, M., see J.M. González-Calbet **203**, 223
Van Deusen, S.B., see T.L. Aselage **203**, 25
Vašek, P., see V. Šíma **203**, 59
Venturini, E.L., see T.L. Aselage **203**, 25
Vijayaraghavan, R., see P. Guptasarma **203**, 129
Vlasko-Vlasov, V.K., see L.A. Dorosinskii **203**, 149, 342
Voigt, J.A., see T.L. Aselage **203**, 25

Wang, H.H., see M. Dressel **203**, 247
Wang, W., see Z. Gao **203**, 45
Wang, Z., see Z. Gao **203**, 45
Weber, H.W., see H.P. Wiesinger **203**, 121
Weber, T., see R. Benischke **203**, 293
Wehler, D., see M. Boekholt **203**, 180
Wiesinger, H.P., F.M. Sauerzopf and H.W. Weber, On the calculation of J_c from magnetization measurements on superconductors **203**, 121
Williams, J.M., see M. Dressel **203**, 247
Wischert, W., see H.-U. Nissen **203**, 436
Wisniewski, A., see I. Mangelschots **203**, 369
Wolf, T., see R. Benischke **203**, 293
Wu, X.C., T.S. Shi, Z.Z. Sheng and T.G. Chen, Two new modulated structures in the $(BiPb)_2Sr_2Ca_2Cu_3O_{10+\delta}$ superconductor **203**, 426
Wühl, H., see R. Benischke **203**, 293
Wuyts, B., Z.X. Gao, S. Libbrecht, M. Maenhoudt, E. Osquiguil and Y. Bruynseraede, Growth of particle-free $YBa_2Cu_3O_7$ films by off-axis sputtering **203**, 235

Yamada, N. and M. Ido, Pressure effects on superconductivity and structural phase transitions in $La_{2-x}M_xCuO_4$ (M=Ba,Sr) **203**, 240
Yamashita, T., see K.H. Young **203**, 37
Yamauchi, H., see H. Yoshikawa **203**, 144
Yang, H.D., M.W. Lin, C.H. Luo, H.L. Tsay and T.F. Young, Effects of Ca substitution on the structural, electrical and magnetic properties of $PrBa_2Cu_3O_{7-y}$ **203**, 320
Yang, J., see Z. Gao **203**, 45
Yoshikawa, H., H. Hidaka, J. Sugiyama, K. Nakao and H. Yamauchi, Magnetic properties of Bi-based layered cobalt oxides, $Bi_2Ca_{3-x}La_xCo_2O_y$ **203**, 144
Yoshizaki, R., see N. Ishikawa **203**, 284
Young, K.H., M. Robinson, A. Cardona, T. Yamashita, T. Hirai, H. Suzuki and H. Kurosawa, Correlations among structural, transport, and microwave properties of YBCO thin film on $LaAlO_3$ substrate by chemical vapor deposition **203**, 37
Young, T.F., see H.D. Yang **203**, 320
Yu, G., C.H. Lee, A.J. Heeger and S.-W. Cheong, Photoconductivity and optical conductivity in lightly doped $Nd_2CuO_{4-\delta}$ **203**, 419
Yuheng, Z., see S. Lei **203**, 398
Yunbo, J., see S. Lei **203**, 398
Yunlong, G., see S. Lei **203**, 398
Yurgens, A.A. and N.V. Zavaritsky, Optically induced magnetic relaxation in Bi-2212 single crystals **203**, 277

Zavaritsky, N.V., see A.A. Yurgens **203**, 277
Zhang, B., see Z. Gao **203**, 45
Zhang, B., P. Fabbricatore, G. Gemme, R. Musenich, R. Parodi and P. Capobianco, Observation of anomalous RF dissipation in thick films of superconducting $YBa_2Cu_3O_{7-x}$ **203**, 51
Zhu, C., see Z. Gao **203**, 45
Zoli, M., Lattice instabilities and critical fluctuations in high-T_c superconductors **203**, 264
Zoller, P., see H.-U. Nissen **203**, 436
Zuo, F., see D. Vacaru **203**, 393

Physica C 203 (1992) 457–458
North-Holland

PHYSICA C

Analytic Subject Index to Volume 203

AC susceptibility 111, 271, 293, 411
Anisotropic superconductor 68, 139, 149, 167
Antiferromagnetic order 1, 7, 284, 320
Applications of high-T_c superconductors 51, 441, 445

Band structure 431

C_{60} compounds 163
Carrier concentration 98, 115
Charge transfer 419
Coherence peak 315
Collective mode 347
Correlation bag 347
Critical current density 37, 121, 129, 149, 335, 403
Critical field 129
Critical state model 121, 149
Cu–O planes 431

Defect structures 59, 75, 83, 103, 203, 235

Electrical resistivity 98, 320, 327, 411
Electron-doped superconductor 16, 369
Electronic structure
–of $Tl_2Ba_2CuO_6$ 193
Energy gap 68

Faraday effect 203
Fermi surface 91, 193, 431
Ferrimagnetism 144
Ferromagnetism 144
Fluctuation effects 16, 264, 393
Flux creep 277
Flux dynamics 378
Flux lattice 203
Flux pinning 75, 129, 149, 203, 223, 335
Fracture toughness 103

Ginzburg–Landau theory 264
Granular superconductivity 271

Hall effect 327
High pressure effect 240, 247, 293
HREM 75, 426, 436, 445
Hubbard Hamiltonian 91

Intercalation 411
Irradiation effect 83, 203
–in $Bi_2Sr_2CaCu_2O_x$ 335
Irreversibility line 111
Isotope effect 163

Kosterlitz–Thouless model 393

Lattice dynamics 157, 247, 264
Lattice parameters 436
London theory 167
Lower critical field H_{c1} 271, 393

Magnetic relaxation
–in $Bi_2Sr_2CaCu_2O_8$ 277
Magnetic susceptibility 163, 284, 369
Magnetization 7, 121, 129, 223, 277, 403
–of $Tl_2Ba_2Cu_1O_6$ 393
Magnetoresistance 16, 378
Mechanical relaxation 342
Meissner effect 240, 369
Metal–insulator transition 91
Microstructure 37, 235
Microwave absorption 51, 139, 180, 315
Modulated structures 426
Multilayers 378

Neutron diffraction 45, 369
Neutron scattering 7
NMR 1
Normal-state properties 193, 431

Optical absorption 277
Optical conductivity 419
Optical spectroscopy 247
Organic superconductor 247
Oxygen diffusion 45
Oxygen ordering 223
Oxygen stoichiometry 45, 223, 293

Pair breaking 277
Penetration depth 315
Phase diagram 25
–of $Bi_2Sr_2CaCu_2O_x$ 299
Phase separation 1
Phonon spectrum 347
Photoconductivity 419

Raman scattering 157, 347
RVB model 347

Scanning electron microscopy 180
Scanning tunneling microscopy 180
Shielding 441
Single-crystal growth 257
Specific heat 264
Structural phase transition 7, 240, 385
Structure
–of $Bi_2Sr_2Ca_2Cu_3O_{10+y}$ 59
–of $Bi_2Sr_2CaCu_2O_{8+\delta}$ 180
–of $Bi_2Sr_2CaCu_2O_x$ 299
–of $Bi_2Sr_2CuO_{6+y}$ 180
–of $(BiPb)_2Sr_2Ca_2Cu_3O_{10+\delta}$ 426
–of Bi–Sr–Ca–Cu–O 398, 436
–of La–Ba–Cu–O 327
–of $Nd_{1.85}Ce_{0.15}CuO_{4+y}$ 369
–of $PrBa_2Cu_3O_{7-y}$ 320
–of Tl–Ca–Ba–Cu–O 25
–of $YBa_2Cu_3O_{7-x}$ 342
Substitution effects
–in $Bi_2Ca_{3-x}La_xCo_2O_y$ 144
–in $Bi_2Sr_2CaCu_2O_x$ 299
–in $La_{1.82}Sr_{0.18}Cu_{1-y}M_yO_4$ 284
–in La_2CuO_4 115
–in $Nd_2CuO_{4-\delta}$ 419
–in $PrBa_2Cu_3O_{7-y}$ 320
–in $Y_{1-x}Ca_xSrBaCu_{2.7}Co_{0.3}O_{6+z}$ 111
–in $YBa_2Cu_3O_{7-\delta}$ 139
Surface impedance 37, 315
Synthesis
–of $Bi_2Ca_{3-x}La_xCo_2O_y$ 144
–of $Bi_2Sr_2Ca_2Cu_3O_{10+y}$ 59
–of $Bi_2Sr_2CaCu_2O_{8+\delta}$ 180
–of $Bi_2Sr_2CuO_{6+y}$ 180
–of Bi–Sr–Ca–Cu–O 385, 403
–of La_2CuO_4 115
–of Tl–Ba–Ca–Cu–O 257
–of Tl–Ca–Ba–Cu–O 25
–of $YBa_2Cu_3O_{7-\delta}$ 129
–of Y–Ba–Cu–O 103

Thermal expansion 240
Thermoelectric effects 98
Thermoelectric power 369
Thin films 16, 37, 129, 235, 327, 378, 385, 445
Torque magnetometry 335

Transmission electron microscopy 83
Tunneling 68
Twin boundaries 139, 342

Upper critical field H_{c2} 16

Vortex line 167

Weak links 51
Whiskers 398

X-ray diffraction 257, 398